

# INDO-AUSTRALIAN MONSOON TIME SCALE

(Basics of the Indo-Australian Monsoon Time Scale)

By

Gangadhara Rao Irlapati

H.No.5-30-4/1, Saibaba Nagar, Jeedimetla,  
Hyderabad, Telanagana State, India-500055.

Email:- scientistgangadhar@gmail.com

## ABSTRACT:

The Indo-Australian Monsoon Occurs from September to February. The Maritime continent Monsoon and the Australia Monsoon may be considered to be the same system, the Indo-Australian Monsoon. The onset of the monsoon over the Maritime continent tends to follow the heating maxima down Vietnam and the Malay peninsula (September), to Sumatra, Borneo and the Philippines (October), to Java, Sulawesi (November), Indian Jaya and Northern Australia (December & January).

## KEY WORDS:

Indo-Australian Monsoon, Indian monsoon Time Scale, Chronological sequence, Main path of the Indian Monsoon Astrogeophysical/Astrometeorological Phenomena.

## INTRODUCTION:

The Indo-Australian Monsoon Time Scale is a Chronological sequence of events arranged in between time and weather with the help of a scale for studying the past, present and future movements of the Indo-Australian Monsoon and its relationship with rainfall and other weather problems and natural calamities.

## PREPARATION OF THE SCALE:

Prepare the Indo-Australian Monsoon Time Scale having 365 horizontal days from March 21<sup>st</sup> to next year March 20<sup>th</sup> (or 1<sup>st</sup> April to next year March 31<sup>st</sup> or according to convenience) for a required period comprising of a large time and weather have been taken and framed into a Square graphic scale, or 2, or 4 parts later the parts may be combined with pasting.

## DATA REQUIRED FOR THE SCALE:

The main weather events of the monsoon season if any pertaining to the monsoon season may be taken to formulating the Indo-Australian Monsoon time Scale.

## PERFORMANCE OF THE SCALE:

Prepare the Indo-Australian Monsoon Time Scale having 365 horizontal days from March 21<sup>st</sup> to next year March 20<sup>th</sup> (or 1<sup>st</sup> April to Next Year March 31<sup>st</sup> or according to convenience) for a required period comprising of a Large time and weather have been taken and framed into a square graphic Scale . The Scale may be prepared either in a single from, or 2 ,or 4 parts later the parts should be combined with pasting. The main weather events if any pertaining to the monsoon season of the region have been entering on the scale as per the date and month of the each and every year. If we have been managing the Asian Australian Monsoon Time Scale in this manner continuously we can study the past, present and future movements of the Indo-Australian Monsoon and its relationship with weather problems and Natural calamities of the monsoon.

## SAMPLE MODEL SCALE:

For example, I have prepared the monsoon time scale for India by preparing the scale having 365 horizontal days from 1<sup>st</sup> April to next year March 31<sup>st</sup> of 128 years from 1888 to 2016 of the required period comprising of large time and weather have been taken and framed into a square graphic scale. The monsoon pulses in the form of low pressure systems over the Indian region have been entering on the scale in stages by 1 for low, 2 for depression, 3 for storm, 4 for severe storm and 5 for severe storm with core of hurricane winds pertaining to the date and month

of the each and every year. If we have been managing the scale in this manner continuously, we can study the past' present's and future's of the India Monsoon and its relationship with rainfall and other weather problems & natural calamities in India.

#### **ANALYSIS:**

The India Monsoon Time Scale reveals many secrets of the Indian monsoon and its relationship with rainfall & other weather problems and natural calamities. For example, some bands, clusters and paths of low pressure systems along with the main paths of the Indian Monsoon (South-west monsoon and north-east monsoon) clearly seen in the map of the Indian monsoon it have been some cut-edged paths passing through its systematic zigzag cycles in ascending and descending orders which causes heavy rains & floods in some years and droughts & famines in another years according to their travel. . The tracking date of main path & other various paths such as south-west monsoon and north-east monsoon etc., of the Indian Monsoon denotes the onset of the monsoon, monsoon pulses or low pressure systems. And also we can find out many more secrets of the Indian monsoon such as droughts, famines, cyclones, heavy rains, floods, real images of the Indian monsoon, and onset & withdrawals of south west monsoon and north-east monsoon etc. by keen study of the Indian Monsoon Time Scale.

#### **MEASURING OF THE MONSOON:**

For example, during 1871-1990's, the main path of the Indian Monsoon was rising over June, July, August and creating heavy rains and floods in most years. During 1900-1920's, it was raising over August, September and resulting good rainfall in more years. During 1965-2004's it was falling over September and causing low rainfall and droughts in many years. At present it is rising upwards over June, July, August, September and will be resulting heavy rains & floods in coming years during 2004-2060. The tracking date of main path & other various paths such as south-east monsoon and north-west monsoon etc., of the Indian Monsoon denotes the onset of the monsoon, monsoon pulses or low pressure systems. And also we can find out many more secrets of the Indian monsoon such as droughts, famines, cyclones, heavy rains, floods, real images of the Indian monsoon, and onset & withdrawals of south west monsoon and north-east monsoon etc. by keen study of the Indian Monsoon Time Scale.

#### **PRINCIPLE:**

This is an Astrogeophysical/Astrometeorological phenomenon of effects of astronomical bodies and forces on the earth's geophysical atmosphere. The cause is unknown however the year to year change of movement of axis of the earth inclined at  $23\frac{1}{2}$  degrees from vertical to its path around the sun does play a significant role in formation of clusters, bands & paths of the Indian Monsoon and stimulates the Indian weather. The inter-tropical convergence zone at the equator follows the movement of the sun and shifts north of the equator merges with the heat low pressure zone created by the rising heat of the sub-continent due to direct and converging rays of the summer sun on the India Sub-Continent and develops into the monsoon trough and maintain monsoon circulation.

#### **PHYSICAL APPEARANCE:**

It is came to known in my researches that the Indo-Australian Monsoon has a special physical appearance just as the Indian Monsoon.

#### **MEASURES OF THE EUROPEAN MONSOON:**

It is came to known in my researches that the Indo-Australian Monsoon having some peculiar measures just as identified in the Indian Monsoon.

#### **CONCLUSIONS:**


The world Scientist hereby requested to continue the further researches on the Indo-Australian Monsoon Time Scale and find out the mysteries of the Indo-Australian Monsoon. we can make many more modifications thus bringing many more developments in the Indo-Australian Monsoon Time Scale.

## REFERENCES:


1. Mooley DA. Shukla J(1987);Characteristics of the west ward-moving summer monsoon low pressure systems over the Indian region and their relationship with the monsoon rainfall. Centre for ocean-land atmospheric interactions, university of Maryland, college park, MD.
2. All India monthly and seasonal rainfall series,1871-1993,B.Parthasarathy,A.AMunot, D.R. Kothawale, Theoretical and applied climatology,1994,Springer.
3. Das P.K. and B.L. Bose, 1958, Numerical study of movement of monsoon depression, Ind. journal of meteor. Geophysics,
4. Analysis of variability and trends of extreme rainfall events over India using 104 years of gridded daily rainfall data, M. Rajeevan, J.Bhate, A.K. Jaswal, Geophysical Research letters,2008,online library.
5. jadhav, S.K.and A.A.Munot,2004;statistical study of the low pressure systems during summer monsoon season over the Indian region,mausam,55,15-30.
6. Clustering of low pressure system during the Indian summer monsoon by intra seasonal oscillations, bn.goswami, rs. ajaya mohan, prince Xavier ,and d. sengupta, centre for atmospheric and oceanic studies, Indian institute of science, bangolour, India.
7. Composite structure of monsoon low pressure system and its relation to Indian rainfall, v. Krishna murthy and rs. Ajaya mohan, 2010, j.climate,23,4285-4305
8. Indian monsoon university of st Andrews [www.andrews.ac.uk/dibz/asia/monsoon/html](http://www.andrews.ac.uk/dibz/asia/monsoon/html).
9. Indian monsoon /meteorology/Britannica/.com [www.britannica.com/science /Indian monsoon](http://www.britannica.com/science/Indian%20monsoon).
10. The global monsoon system: research and fore cast ;caos.iisc.in/faculty/bng/iwm-iii-bng-overview
11. Climate prediction centre-global monsoon; [www.cpc ncep.noaa.gov](http://www.cpc.ncep.noaa.gov), climate. weather.
12. The global monsoon system, [www.wcrp-climate.org/documents/](http://www.wcrp-climate.org/documents/monsoon-factsheet) monsoon –factsheet.
13. all India monthly and seasonal rainfall series, 1871-1993,b.parthasarathy, a.a mount,Dr. kothawale, theoretical and applied climatology,1994, Springer.
14. Parthasarathy .b, mount. aa, kothawale.dr, monthly and seasonal rainfall series for all India homogeneous regions and meteorological sub-divisions, 1871-1994, research report, iitm Pune.
15. Longest instrumental rainfall series of the Indian regions(1813-2006), Indian institute of tropical meteorology, Pune.
16. All Indian data series-(imd) Pune.
17. Monthly rainfall data series-ministry of earth sciences, [moes.gov.in/](http://moes.gov.in/)
18. 114 years rainfall in India-interactive, India environmentportal.org.in/rainfall in India.
19. Education national geography.org/encyclopedia/monsoon.
20. Phoenix about.com/od/weather/a/monsoon trivia/htm.
21. In.wikipedia.org/wiki/monsoon.
22. [www.wcpr-climate.org/documents/monsoon facts sheet](http://www.wcpr-climate.org/documents/monsoon%20facts%20sheet).
23. The Global Monsoon system: Research and forecast (Report of the India National Committee of third International workshop on Monsoon (IWM-III)) 2-6 Nov-2004, Hangzhou, China Report No.70.

## APPENDICES:

# INDIAN WEATHER TIMES SCALE









WEST

# INDIAN MONSOON TIME SCALE

Annual equinox

Winter Solstice

Vernal equinox

Casual equator

Analysed  
scale  
1/4  
of  
actual  
scale

23.45°  
0.00°  
23.45°


path of Sun

Axis of the Summer solstice

Axis of the Winter Solstice

path of Sun

Main paths of the Indian Monsoon





Basic Scale 1/4

# SOUTH EAST TRADE WINDS

QUARTER

ANALYSIS OF MONSOON

TIME SCALE

ANALYSIS OF RAIN

ANALYSIS OF SYSTEMS

WC-1  
WC-2  
WC-3  
WC-4  
WC-5  
WC-6  
WC-7  
WC-8

WC-1  
WC-2  
WC-3  
WC-4  
WC-5  
WC-6  
WC-7  
WC-8

ERA

2016  
2015  
2014  
2013  
2012  
2011  
2010  
2009  
2008  
2007  
2006  
2005  
2004  
2003  
2002  
2001  
2000  
1999  
1998  
1997  
1996  
1995  
1994  
1993  
1992  
1991  
1990  
1989  
1988  
1987  
1986  
1985  
1984  
1983  
1982  
1981  
1980  
1979  
1978  
1977  
1976  
1975  
1974  
1973  
1972  
1971  
1970  
1969  
1968  
1967  
1966  
1965  
1964  
1963  
1962  
1961  
1960  
1959  
1958  
1957  
1956  
1955  
1954  
1953  
1952  
1951  
1950  
1949  
1948  
1947  
1946  
1945  
1944  
1943  
1942  
1941  
1940  
1939  
1938  
1937  
1936  
1935  
1934  
1933  
1932  
1931  
1930  
1929  
1928  
1927  
1926  
1925  
1924  
1923  
1922  
1921  
1920  
1919  
1918  
1917  
1916  
1915  
1914  
1913  
1912  
1911  
1910  
1909  
1908  
1907  
1906  
1905  
1904  
1903  
1902  
1901  
1900  
1899  
1898  
1897  
1896  
1895  
1894  
1893  
1892  
1891  
1890  
1889  
1888

TELANGANA RAYALASEEMA COASTAL ANDHRA OVERALL STATE

TELANGANA RAYALASEEMA COASTAL ANDHRA OVERALL STATE

TELANGANA RAYALASEEMA COASTAL ANDHRA OVERALL STATE

TELANGANA RAYALA

APRIL MAY JUNE JULY

APRIL MAY JUNE JULY

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

PRE-MONSOON BELT

Cut up to bottom along with line here & paste along with line to 2/4


THE ITCZ SET FORTH OVER EQUATOR Trade Winds Converge at the ITCZ of I.e. a low pressure region at the equator The ITCZ Moves north wards over the Indian region The ITCZ passing over the Andhra Pradesh



# INDIAN WEATHER

Basic Scale 2/4

SOUTH EAST TRADE WINDS



THE ITCZ SET FORTH OVER EQUATOR Trade Winds Converge at the ITCZ of i.e. a low pressure region at the equator The ITCZ Moves north wards over the Indian region The ITCZ passing over the Andhra Pradesh








Basic Scale 4/4

SOUTH EAST TRADE WINDS




The ITCZ SET FORTH OVER EQUATOR Trade Winds Converge at the ITCZ of i.e. a low pressure region at the equator The ITCZ Moves north wards over the indian region The ITCZ passing over the Andhra Pradesh



filled Scaled 1/4

SOUTHEAST TRADE WINDS




THE ITCZ SET FORTH OVER EQUATOR Trade Winds Converge at the ITCZ of I.e. a low pressure region at the equator The ITCZ Moves north wards over the Indian region The ITCZ passing over the Andhra Pradesh



filled Scaled 2/4

SOUTH EAST TRADE WINDS



7C7 SFT FORTH OVER FOIATOR

Trade Winds Converge at the ITCZ of i.e. a low pressure region at the equator


The ITCZ Moves north wards over the Indian region

The ITCZ passing over the Andhra Pradesh



filled Scaled 3/4

SOUTH EAST TRADE WINDS




THE ITCZ SE RTH OVER EQUATOR Trade Winds Converge at the ITCZ of i.e. a low pressure region at the equator The ITCZ Moves north wards over the Indian region The ITCZ passing over the Andhra Pradesh

మలబార్ సముద్రాల ఘటతల ఉత్పత్తిగా మారగలవు



filled Scaled 4/4

# SOUTH EAST TRADE WINDS




THE ITCZ SEI H OVER EQUATOR Trade Winds Converge at the ITCZ of i.e. a low pressure region at the equator The ITCZ Moves north wards over the Indian region The ITCZ passing over the Andhra Pradesh



Analysed Scale 1/4

SOUTH EAST TRADE WINDS

ANALYSIS OF MONSOON



Cut up to bottom along with line here & paste along with line to 2/4




# INDIAN MONSOON

Autumnal equinox,

Analysed Scale 2/4

SOUTH EAST TRADE WINDS

Indian Monsoon.



Cut up to bottom along with line here & paste along with line to 3/4

of south west monsoon




# TIME SCALE

winter Solstic

Analysed Scale 3/4

OUTH EAST TRADE WINDS


THE ITCZ SET





Analysed Scale 4/4

# SOUTH EAST TRADE WINDS




T. 1702




# INDIAN MONSOON TIME SCALE

Abridged basic scale from 1888 year to 2018 year for the months of May 1<sup>st</sup> to December, 31<sup>st</sup>






# INDIAN MONSOON TIME SCALE





# INDIAN MONSOON TIME SCALE

Abridged analysed scale from 1888 year to 2018 year for the months of May 1<sup>st</sup> to December, 31<sup>st</sup>






## MAP OF THE INDIAN MONSOON

ANALYSIS  
OF  
Years  
(1888-1993)ANALYSIS  
OF  
Months  
(JUN:SEP)[illegible]

Computerised basic scale from 1888 year to 1983 year for the months of 1<sup>st</sup> June to September, 31<sup>st</sup>.



# ANALYSIS



path of the systematic cycle of the Indian Monsoon.

Computerised analysed scale from 1888 year to 1983 year for the months of 1<sup>st</sup> June to September, 31<sup>st</sup>.